Safety Data Sheet

Issue Date 29-Oct-2026 **Revision Date** 29-Oct-2026 **Revision Number** 3

1. IDENTIFICATION

Product identifier

Product Code 454FC-0454B
Product Name CPP TROWEL-LINER FC AMINE

Other means of identification

Common Name SERIES F454FC, PART B
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use industrial paint.
Uses advised against Consumer use, For professional use only. Not for residential use.

Details of the supplier of the safety data sheet

Manufacturer Address
Tnemec Company, Inc. 123 W. 23rd Avenue, North Kansas City, MO 64116-3094 (816) 474-3400
Distributor
Tnemec Company, Inc. 86 Boul, des Entreprises, Ste. 203, Boisbriand, Quebec Canada J7G 2T3

Emergency telephone number

Company Phone Number Tnemec Regulatory Dept: 816-474-3400
24 Hour Emergency Phone Number 800-535-5053 (Infotrac)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status
This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive Toxicity	Category 2

Label elements

EMERGENCY OVERVIEW

Danger

Hazard statements
Harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage
May cause an allergic skin reaction
Suspected of damaging fertility or the unborn child



Appearance viscous liquid **Physical state** liquid **Odor** No information available

Precautionary Statements
Prevention
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace

Response
Immediately call a POISON CENTER or doctor/physician
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician if you feel unwell
Immediately call a POISON CENTER or doctor/physician
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth
Do NOT induce vomiting

Storage
Store locked up
Keep away from children

Disposal
Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)
Other information
Very toxic to aquatic life with long lasting effects
SEE SAFETY DATA SHEET
Acute Toxicity 59.0826 % of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
M-XYLENEDIAMINE	1477-55-0	30 - <60%
4-TERT-BUTYLPHENOL	98-54-4	30 - <60%
MODIFIED ALIPHATIC AMINE	90-72-2	1 - <10%
2,2,4(OR 2,4,4)-TRIMETHYLHEXANE-1,6-DIAMINE	25513-64-8	1 - <10%
BIS(DIMETHYLAMINOMETHYL)PHENOL	71074-89-0	1 - <10%

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion If swallowed, do not induce vomiting. Get medical attention immediately.

Self-protection of the first aider Use personal protective equipment. Avoid contact with eyes, skin and clothing.

Most important symptoms and effects, both acute and delayed

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media
Carbon dioxide. Foam. Dry chemical.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical
Thermal decomposition can lead to release of irritating gases and vapours In the event of fire and/or explosion do not breathe fumes

Hazardous combustion products Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. ammonia gas. Oxides of nitrogen. Ammonia. Carbon oxides. Aldehydes. hydrocarbon fragments. Nitric acid, nitrosamine.

Protective equipment and precautions for firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment. Avoid contact with eyes, skin and clothing. Ensure adequate ventilation. Remove all sources of ignition.

Environmental Precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment Remove all sources of ignition. Spills may be collected with inert, absorbent material for proper disposal. Use non-sparking tools, protective gloves, goggles and clothing, adequate ventilation, avoid the breathing of vapors and use respiratory protective devices. Transfer absorbent material to suitable containers for proper disposal.

Methods for cleaning up Pick up and transfer to properly labelled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with eyes, skin and clothing. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Do not ingest. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

Incompatible products Organic Acids. Mineral acids. sodium hypochlorite. copper. Aluminum. Zinc. Galvanized Metals. Peroxides. Oxidizing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines .

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
M-XYLENEDIAMINE 1477-55-0	Skin Ceiling: 0.018 ppm	-	

Appropriate engineering controls

Engineering measures Sufficient ventilation, in volume and pattern, should be provided through both local and general exhaust to keep the air contaminant concentration below current applicable OSHA Permissible Exposure Limits (PEL) and ACGIH"s Threshold Limit Values (TLV). Appropriate ventilation should be employed to remove hazardous decomposition products formed during welding or flame cutting operations of surfaces coated with this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses with side-shields If splashes are likely to occur, wear goggles.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection Use only with adequate ventilation. Do not breathe vapors, spray mist, or dust. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates vapor/mist or dust levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH/MSHA approved) during and after application. Follow respirator manufacturer's directions for respirator use.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid breathing dust created by cutting, sanding, or grinding.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid		
Appearance	viscous liquid	**Odor**	No information available
Color	No information available	**Odor threshold**	No information available

Property	**Values**	**Remarks**
pH		No data available
Melting point / freezing point	No data available	
Boiling point / boiling range		No information available
Flash point	> 100 °C / > 212 °F	Seta closed cup
Evaporation rate		No data available
Flammability (solid, gas)	No data available	
Flammability Limit in Air		No data available
Upper flammability limit		
Lower flammability limit	No information available	
Vapor pressure		No data available
Vapor density		No data available
Specific gravity	1.00626	g/cm3
Water solubility	Insoluble in cold water	
Solubility in other solvents		No data available
Partition coefficient: n-octanol/water		No data available
Autoignition temperature	No data available	No data available
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity		No data available

Other Information

Molecular weight	No information available
Density	8.39222 lbs/gal
Volatile organic compounds (VOC) content	0 lbs/gal
Total volatiles weight percent	0 %
Total volatiles volume percent	0 %
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity
No data available

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid
Heat, flames and sparks.

Incompatible materials
Organic Acids, Mineral acids, sodium hypochlorite, copper, Aluminum, Zinc, Galvanized Metals, Peroxides, Oxidizing agent

Hazardous decomposition products
Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. ammonia gas. Oxides of nitrogen. Ammonia. Carbon oxides. Aldehydes. hydrocarbon fragments. Nitric acid, nitrosamine.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation Harmful if inhaled.

Eye contact Causes serious eye damage.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Ingestion Harmful if swallowed.

Information on toxicological effects

Symptoms Causes severe skin burns and eye damage. Harmful if swallowed. Harmful if inhaled. May cause allergic skin reaction.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes severe burns.
Eye damage/irritation Causes serious eye damage.
Chronic Toxicity Avoid repeated exposure. Prolonged exposure may cause chronic effects.
Sensitization May cause an allergic skin reaction.
Mutagenicity No information available.
Carcinogenicity Not classifiable as a human carcinogen.
Reproductive effects Suspected of damaging fertility or the unborn child.
STOT - single exposure No information available
STOT - repeated exposure No information available
Aspiration hazard Based on product level data, this product does not meet the requirement to be classified as an aspiration hazard. However, this product contains an ingredient that may cause aspiration if swallowed.

Acute Toxicity 59.0826 % of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia
M-XYLENEDIAMINE 1477-55-0	-	LC50: 87.6 mg/L Oryzias latipes 96 h semi-static	-
4-TERT-BUTYLPHENOL 98-54-4	EC50: 11.2 mg/L Desmodesmus subspicatus 72 h	LC50: 4.71 - 5.62 mg/L Pimephales promelas 96 h flow-through LC50: 6.9 mg/L Cyprinus carpio 96 h static	EC50: 3.9 mg/L Daphnia magna 48 h EC50: 3.4 - 4.5 mg/L Daphnia magna 48 h Static

Persistence and degradability
No information available.

Bioaccumulation
No information available.

Mobility in Environmental Media

Chemical name	log Pow
M-XYLENEDIAMINE 1477-55-0	0.18

4-TERT-BUTYLPHENOL 98-54-4	2.44
MODIFIED ALIPHATIC AMINE 90-72-2	0.219
2,2,4(OR 2,4,4)-TRIMETHYLHEXANE-1,6-DIAMINE 25513-64-8	-0.3

Other Adverse Effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Methods It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

DOT
Proper Shipping Name PAINT & RELATED MATERIAL Limited Quantity

IATA
Proper Shipping Name NOT ALLOWED FOR AIR TRANSPORT

IMDG/IMO
Proper Shipping Name PAINT & RELATED MATERIAL, Limited Quantity

Additional Information Call TNEMEC Traffic Department - 816-474-3400 for additional information or other modes of Transportation.

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does Not Comply
IECSC	Complies
KECL	Does Not Comply
PICCS	Does Not Comply
AICS	Does Not Comply

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

California Prop. 65

WARNING: None of the ingredients are listed with California Proposition 65.

California SCAQMD Rule 443
Does Not Contain Photochemically Reactive Solvent

State Right-to-Know

Chemical name	New Jersey	Massachusetts	Pennsylvania
M-XYLENEDIAMINE 1477-55-0	X	X	X

16. OTHER INFORMATION

NFPA	**Health**	3	**Flammability**	0	**Instability** 0	**Physical hazard**	-
HMIS (Hazardous Material Information System)	**Health**	3*	**Flammability**	0			

Prepared By Tnemec Regulatory Dept: 816-474-3400
Revision Date 29-Oct-2026
Revision Summary
1 9 4 5 6 7 10 8 11 15 14
Disclaimer
For specific information regarding occupational safety and health standards, please refer to the Code of Federal Regulations, Title 29, Part 1910. To the best of our knowledge, the information contained herein is accurate. However, neither the Tnemec Company or any of its subsidiaries assume any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.

End of SDS